

**AccuPad Inc.**



---

SILICONE • PRINT PADS • ROLL COVERINGS

# Product Catalog 2010

**AccuPad Inc., 1324 Harris Bridge Rd., Anderson SC 29621**

Phone: 864 964 0900, Fax: 864 964 0206  
Web: [www.siliconeprintpads.com](http://www.siliconeprintpads.com); Email: [sales@accupad.com](mailto:sales@accupad.com)



## Why Silicone Print Pads from AccuPad?

AccuPad designs and manufactures Silicone Print Pads to meet the highest print quality requirements since its foundation in 1991.

Our customer base includes many of the largest companies in the US and throughout the world.

With a large inventory of standard shapes available, AccuPad can ship orders within 24h. Custom designed pads are typically shipped within a week.

## Our Goal

Consistently manufacture and deliver the highest quality Silicone Print Pad that will exceed the customers print job requirements.

We take an individual approach to solve our customers printing problems.

## To Order

- Call our Sales Department at 864 964 0900
- Fax your inquiry or order: 864 964 0206
- Email Sales at [sales@accupad.com](mailto:sales@accupad.com)
- All pads are available
  - in soft, medium and hard durometer (see inquiry form)
  - on metal, wood or custom molded base
  - multiple colors

**AccuPad Inc., 1324 Harris Bridge Rd., Anderson SC 29621**

Phone: 864 964 0900, Fax: 864 964 0206  
Web: [www.siliconeprintpads.com](http://www.siliconeprintpads.com); Email: [sales@accupad.com](mailto:sales@accupad.com)



## Table of Content:

- \* Round Print Pad
- \* Cone Shaped Print Pads
- \* Square Print Pads
- \* Arched Rectangular Pads
- \* Roof Top Shape Pads
- \* Print Blankets
- \* Unique Shaped Custom Print Pads
- \* Industrial Silicone Molded Product
- \* Product Inquiry Form

## Round Silicone Print Pads (1 of 4)

All pads are available in multiple colors, bases, mounting threads and durometer, see inquiry form

|   |   |  |   |
|---|---|--|---|
|    |    |    |    |
| R1<br>OD: 0.58"<br>H: 0.66"   | R2<br>OD: 0.5"<br>H: 0.81"  | R3<br>OD: 0.59"<br>H: 0.68"  | R4<br>OD: 0.75"<br>H: 0.99"   |
|  |  |  |  |
| R5<br>OD: 0.75"<br>H: 0.96"   | R6<br>OD: 0.85"<br>H: 0.98"   | R7<br>OD: 1.00"<br>H: 1.23"  | R8<br>OD: 1.21"<br>H: 0.99"   |
|  |  |  |  |
| R9<br>OD: 1.21"<br>H: 0.99"   | R10<br>OD: 1.38"<br>H: 1.24"  | R11<br>OD: 1.38"<br>H: 1.52"   | R12<br>OD: 1.25"<br>H: 1.57"  |

All dimensions in inch ("). (OD) outer diameter and (H) height include the base.

**AccuPad Inc., 1324 Harris Bridge Rd., Anderson SC 29621**

Phone: 864 964 0900, Fax: 864 964 0206  
Web: [www.siliconeprintpads.com](http://www.siliconeprintpads.com); Email: [sales@accupad.com](mailto:sales@accupad.com)



## Round Silicone Print Pads (2 of 4)

All pads are available in multiple colors, bases, mounting threads and durometer, see inquiry form

|   |   |  |   |
|---|---|--|---|
|  <p>R13<br/>OD: 1.19"<br/>H: 1.35"</p>   |  <p>R14<br/>OD: 1.22"<br/>H: 1.38"</p>   |  <p>R15<br/>OD: 1.27"<br/>H: 1.47"</p>   |  <p>R16<br/>OD: 1.32"<br/>H: 1.61"</p>   |
|  <p>R17<br/>OD: 1.73"<br/>H: 1.72"</p>  |  <p>R18<br/>OD: 1.77"<br/>H: 1.84"</p>  |  <p>R19<br/>OD: 1.83"<br/>H: 1.82"</p>  |  <p>R20<br/>OD: 2.54"<br/>H: 2.05"</p>  |
|  <p>R21<br/>OD: 2.41"<br/>H: 2.17"</p> |  <p>R22<br/>OD: 2.43"<br/>H: 2.03"</p> |  <p>R23<br/>OD: 2.36"<br/>H: 2.20"</p> |  <p>R24<br/>OD: 2.51"<br/>H: 2.18"</p> |

All dimensions in inch ("), (OD) outer diameter and (H) height include the base.

**AccuPad Inc., 1324 Harris Bridge Rd., Anderson SC 29621**

Phone: 864 964 0900, Fax: 864 964 0206  
Web: [www.siliconeprintpads.com](http://www.siliconeprintpads.com); Email: [sales@accupad.com](mailto:sales@accupad.com)



## Round Silicone Print Pads (3 of 4)

All pads are available in multiple colors, bases, mounting threads and durometer, see inquiry form

|   |   |  |   |
|---|---|--|---|
|  <p>R25<br/>OD: 2.44"<br/>H: 2.00"</p>   |  <p>R26<br/>OD: 2.51"<br/>H: 2.51"</p>   |  <p>R27<br/>OD: 2.44"<br/>H: 2.17"</p>   |  <p>R28<br/>OD: 2.26"<br/>H: 2.48"</p>   |
|  <p>R29<br/>OD: 2.53"<br/>H: 2.7"</p>   |  <p>R30<br/>OD: 4.24"<br/>H: 2.69"</p>  |  <p>R31<br/>OD: 3.54"<br/>H: 2.71"</p>  |  <p>R32<br/>OD: 3.88"<br/>H: 1.88"</p>  |
|  <p>R33<br/>OD: 3.19"<br/>H: 2.53"</p> |  <p>R34<br/>OD: 3.18"<br/>H: 2.83"</p> |  <p>R35<br/>OD: 3.38"<br/>H: 2.64"</p> |  <p>R36<br/>OD: 3.00"<br/>H: 2.66"</p> |

All dimensions in inch ("), (OD) outer diameter and (H) height include the base.

**AccuPad Inc., 1324 Harris Bridge Rd., Anderson SC 29621**

Phone: 864 964 0900, Fax: 864 964 0206  
 Web: [www.siliconeprintpads.com](http://www.siliconeprintpads.com); Email: [sales@accupad.com](mailto:sales@accupad.com)



## Round Silicone Print Pads (4 of 4)

All pads are available in multiple colors, bases, mounting threads and durometer, see inquiry form

|                                       |                                       |                                       |                                       |
|---------------------------------------|---------------------------------------|---------------------------------------|---------------------------------------|
|                                       |                                       |                                       |                                       |
| <p>R37<br/>OD: 3.47"<br/>H: 2.81"</p> | <p>R38<br/>OD: 4.00"<br/>H: 3.50"</p> | <p>R39<br/>OD: 3.9"<br/>H: 2.91"</p>  | <p>R40<br/>OD: 5.24"<br/>H: 3.08"</p> |
|                                       |                                       |                                       |                                       |
| <p>R41<br/>OD: 5.68"<br/>H: 4.75"</p> | <p>R42<br/>OD: 6.17"<br/>H: 4.20"</p> | <p>R43<br/>OD: 5.75"<br/>H: 2.60"</p> |                                       |
|                                       |                                       |                                       |                                       |

All dimensions in inch ("), (OD) outer diameter and (H) height include the base.

**AccuPad Inc., 1324 Harris Bridge Rd., Anderson SC 29621**

Phone: 864 964 0900, Fax: 864 964 0206  
Web: [www.siliconeprintpads.com](http://www.siliconeprintpads.com); Email: [sales@accupad.com](mailto:sales@accupad.com)



## Cone Shaped Silicone Print Pads (1 of 2)

All pads are available in multiple colors, bases, mounting threads and durometer, see inquiry form

|  |   |  |   |
|--|---|--|---|
|  <p>C1<br/>OD: 0.89"<br/>H: 0.73"</p>   |  <p>C2<br/>OD: 1.75"<br/>H: 1.92"</p>    |  <p>C3<br/>OD: 1.82"<br/>H: 1.75"</p>    |  <p>C4<br/>OD: 2.50"<br/>H: 2.00"</p>    |
|  <p>C5<br/>OD: 2.50"<br/>H: 2.62"</p>  |  <p>C6<br/>OD: 2.46"<br/>H: 2.73"</p>   |  <p>C7<br/>OD: 2.30"<br/>H: 2.40"</p>   |  <p>C8<br/>OD: 2.62"<br/>H: 2.56"</p>   |
|  <p>C9<br/>OD: 2.65"<br/>H: 2.65"</p> |  <p>C10<br/>OD: 3.00"<br/>H: 2.11"</p> |  <p>C11<br/>OD: 3.50"<br/>H: 2.42"</p> |  <p>C12<br/>OD: 3.61"<br/>H: 2.65"</p> |

All dimensions in inch ("), (OD) outer diameter and (H) height include the base.

**AccuPad Inc., 1324 Harris Bridge Rd., Anderson SC 29621**

Phone: 864 964 0900, Fax: 864 964 0206  
 Web: [www.siliconeprintpads.com](http://www.siliconeprintpads.com); Email: [sales@accupad.com](mailto:sales@accupad.com)



## Cone Shaped Silicone Print Pads (2 of 2)

All pads are available in multiple colors, bases, mounting threads and durometer, see inquiry form

|                                       |                                       |                                       |                                      |
|---------------------------------------|---------------------------------------|---------------------------------------|--------------------------------------|
|                                       |                                       |                                       |                                      |
| <p>C13<br/>OD: 3.34"<br/>H: 3.2"</p>  | <p>C14<br/>OD: 4.00"<br/>H: 2.50"</p> | <p>C15<br/>OD: 4.20"<br/>H: 2.55"</p> | <p>C16<br/>OD: 3.50"<br/>H: 2.8"</p> |
|                                       |                                       |                                       |                                      |
| <p>C17<br/>OD: 3.32"<br/>H: 3.54"</p> |                                       |                                       |                                      |
|                                       |                                       |                                       |                                      |













All dimensions in inch ("). (OD) outer diameter and (H) height include the base.

**AccuPad Inc., 1324 Harris Bridge Rd., Anderson SC 29621**

Phone: 864 964 0900, Fax: 864 964 0206  
 Web: [www.siliconeprintpads.com](http://www.siliconeprintpads.com); Email: [sales@accupad.com](mailto:sales@accupad.com)

## Square Silicone Print Pads (1 of 2)

All pads are available in multiple colors, bases, mounting threads and durometer, see inquiry form

|   |  |   |  |
|---|--|---|--|
|  <p>S1<br/>L: 0.95"; W: 0.73"<br/>H: 0.85"</p>   |  <p>S2<br/>L: 0.97"; W: 0.75"<br/>H: 0.94"</p>    |  <p>S3<br/>L: 0.97"; W: 0.7"<br/>H: 0.98"</p>     |  <p>S4<br/>L: 1.25"; W: 1.25"<br/>H: 1.31"</p>    |
|  <p>S5<br/>L: 1.14"; W: 1.14"<br/>H: 1.52"</p>  |  <p>S6<br/>L: 1.0"; W: 1.0"<br/>H: 1.71"</p>     |  <p>S7<br/>L: 1.25"; W: 1.25"<br/>H: 1.5"</p>    |  <p>S8<br/>L: 1.77"; W: 1.28"<br/>H: 1.37"</p>   |
|  <p>S9<br/>L: 1.78"; W: 1.23"<br/>H: 1.63"</p> |  <p>S10<br/>L: 1.74"; W: 1.26"<br/>H: 2.03"</p> |  <p>S11<br/>L: 1.77"; W: 1.27"<br/>H: 1.55"</p> |  <p>S12<br/>L: 1.75"; W: 1.23"<br/>H: 1.63"</p> |

All dimensions in inch ("), (L) length, (W) width and (H) height include the base.

**AccuPad Inc., 1324 Harris Bridge Rd., Anderson SC 29621**

Phone: 864 964 0900, Fax: 864 964 0206  
Web: [www.siliconeprintpads.com](http://www.siliconeprintpads.com); Email: [sales@accupad.com](mailto:sales@accupad.com)



## Square Silicone Print Pads (2 of 2)

All pads are available in multiple colors, bases, mounting threads and durometer, see inquiry form

|  |  |  |  |
|--|--|--|--|
|  |  |  |  |
| <p>S13<br/>L: 2.2"; W: 1.85"<br/>H: 2.2"</p>   | <p>S14<br/>L: 2.38"; W: 2.38"<br/>H: 2.00"</p> | <p>S15<br/>L: 2.50"; W: 2.50"<br/>H: 2.70"</p> | <p>S16<br/>L: 2.97"; W: 2.97"<br/>H: 2.30"</p> |
|  |  |  |  |
| <p>S17<br/>L: 3.27"; W: 3.00"<br/>H: 2.54"</p> | <p>S18<br/>L: 2.90"; W: 2.90"<br/>H: 2.46"</p> | <p>S19<br/>L: 1.29"; W: 1.29"<br/>H: 1.5"</p>  |  |
|  |  |  |  |

All dimensions in inch ("). (L) length, (W) width and (H) height include the base.













**AccuPad Inc., 1324 Harris Bridge Rd., Anderson SC 29621**

Phone: 864 964 0900, Fax: 864 964 0206  
 Web: [www.siliconeprintpads.com](http://www.siliconeprintpads.com); Email: [sales@accupad.com](mailto:sales@accupad.com)



## Arched Silicone Print Pads (1 of 3)

All pads are available in multiple colors, bases, mounting threads and durometer, see inquiry form

|  |  |  |   |
|--|--|--|---|
|  <p>AR1<br/>L: 0.88"; W: 0.69"<br/>H: 0.85"</p>   |  <p>AR2<br/>L: 1.00"; W: 0.75"<br/>H: 0.92"</p>   |  <p>AR3<br/>L: 1.28"; W: 0.50"<br/>H: 1.03"</p>    |  <p>AR4<br/>L: 1.25"; W: 1.25"<br/>H: 1.52"</p>    |
|  <p>AR5<br/>L: 1.91"; W: 0.73"<br/>H: 1.23"</p>  |  <p>AR6<br/>L: 2.06"; W: 0.71"<br/>H: 2.03"</p>  |  <p>AR7<br/>L: 2.35"; W: 1.35"<br/>H: 2.03"</p>   |  <p>AR8<br/>L: 2.34"; W: 1.34"<br/>H: 2.1"</p>    |
|  <p>AR9<br/>L: 2.86"; W: 1.75"<br/>H: 2.06"</p> |  <p>AR10<br/>L: 2.92"; W: 1.70"<br/>H: 2.1"</p> |  <p>AR11<br/>L: 3.26"; W: 2.31"<br/>H: 1.93"</p> |  <p>AR12<br/>L: 3.15"; W: 2.63"<br/>H: 2.89"</p> |

All dimensions in inch ("), (L) length, (W) width and (H) height include the base.













**AccuPad Inc., 1324 Harris Bridge Rd., Anderson SC 29621**

Phone: 864 964 0900, Fax: 864 964 0206  
 Web: [www.siliconeprintpads.com](http://www.siliconeprintpads.com); Email: [sales@accupad.com](mailto:sales@accupad.com)



## Arched Silicone Print Pads (2 of 3)

All pads are available in multiple colors, bases, mounting threads and durometer, see inquiry form

|   |   |  |  |
|---|---|--|--|
|  <p>AR13<br/>L: 3.14"; W: 2.65"<br/>H: 2.09"</p>   |  <p>AR14<br/>L: 3.25"; W: 2.16"<br/>H: 2.54"</p>   |  <p>AR15<br/>L: 3.767"; W: 2.88"<br/>H: 2.28"</p>  |  <p>AR16<br/>L: 4.45"; W: 2.21"<br/>H: 2.04"</p>  |
|  <p>AR17<br/>L: 4.23"; W: 1.37"<br/>H: 2.52"</p>  |  <p>AR18<br/>L: 4.27"; W: 1.81"<br/>H: 2.48"</p>  |  <p>AR19<br/>L: 4.51"; W: 2.42"<br/>H: 2.61"</p>  |  <p>AR20<br/>L: 4.83"; W: 2.43"<br/>H: 2.37"</p> |
|  <p>AR21<br/>L: 5.31"; W: 2.22"<br/>H: 2.67"</p> |  <p>AR22<br/>L: 5.29"; W: 4.11"<br/>H: 3.07"</p> |  <p>AR23<br/>L: 5.02"; W: 3.19"<br/>H: 2.44"</p> |  <p>AR24<br/>L: 4.48"; W: 2.7"<br/>H: 2.5"</p>  |

All dimensions in inch ("). (L) length, (W) width and (H) height include the base.

**AccuPad Inc., 1324 Harris Bridge Rd., Anderson SC 29621**

Phone: 864 964 0900, Fax: 864 964 0206  
Web: [www.siliconeprintpads.com](http://www.siliconeprintpads.com); Email: [sales@accupad.com](mailto:sales@accupad.com)



## Arched Silicone Print Pads (3 of 3)

All pads are available in multiple colors, bases, mounting threads and durometer, see inquiry form

|  |  |   |  |
|--|--|---|--|
|  <p>AR25<br/>L: 5.06"; W: 3.35"<br/>H: 2.20"</p>  |  <p>AR26<br/>L: 5.37"; W: 3.67"<br/>H: 3.53"</p>  |  <p>AR27<br/>L: 4.25"; W: 3.66"<br/>H: 3.58"</p>  |  <p>AR28<br/>L: 4.71"; W: 3.35"<br/>H: 3.22"</p>  |
|  <p>AR29<br/>L: 4.9"; W: 3.32"<br/>H: 2.98"</p>  |  <p>AR30<br/>L: 5.74"; W: 3.62"<br/>H: 3.32"</p> |  <p>AR31<br/>L: 7.64"; W: 3.48"<br/>H: 3.91"</p> |  <p>AR32<br/>L: 1.00"; W: 0.61"<br/>H: 0.93"</p> |
|  <p>AR33<br/>L: 0.94"; W: 0.70"<br/>H: 1.1"</p> |  |   |  |













All dimensions in inch ("), (L) length, (W) width and (H) height include the base.

**AccuPad Inc., 1324 Harris Bridge Rd., Anderson SC 29621**

Phone: 864 964 0900, Fax: 864 964 0206  
Web: [www.siliconeprintpads.com](http://www.siliconeprintpads.com); Email: [sales@accupad.com](mailto:sales@accupad.com)

## Roof Top Shaped Silicone Print Pads (1 of 3)

All pads are available in multiple colors, bases, mounting threads and durometer, see inquiry form

|   |   |  |   |
|---|---|--|---|
|    |    |    |    |
| RT1<br>L: 1.77"; W: 1.27"<br>H: 1.24"   | RT2<br>L: 1.745"; W: 1.196"<br>H: 1.11"   | RT3<br>L: 1.76"; W: 1.25"<br>H: 1.26"  | RT4<br>L: 2.54"; W: 0.75"<br>H: 1.25"   |
|   |   |   |   |
| RT5<br>L: 2.86"; W: 1.07"<br>H: 1.28"   | RT6<br>L: 2.76"; W: 1.3"<br>H: 1.4"   | RT7<br>L: 3.47"; W: 1.12"<br>H: 1.1"   | RT8<br>L: 3.74"; W: 1.11"<br>H: 1.02"   |
|  |  |  |  |
| RT9<br>L: 3.32"; W: 1.24"<br>H: 1.43"   | RT10<br>L: 3.48"; W: 1.11"<br>H: 1.00"  | RT11<br>L: 2.24"; W: 1.55"<br>H: 2.32"   | RT12<br>L: 2.52"; W: 1.91"<br>H: 1.91"  |

All dimensions in inch ("), (L) length, (W) width and (H) height include the base.













**AccuPad Inc., 1324 Harris Bridge Rd., Anderson SC 29621**

Phone: 864 964 0900, Fax: 864 964 0206  
Web: [www.siliconeprintpads.com](http://www.siliconeprintpads.com); Email: [sales@accupad.com](mailto:sales@accupad.com)



## Roof Top Shaped Silicone Print Pads (2 of 3)

All pads are available in multiple colors, bases, mounting threads and durometer, see inquiry form

|   |   |  |   |
|---|---|--|---|
|  <p>RT13<br/>L: 3.45"; W: 1.94"<br/>H: 1.73"</p>   |  <p>RT14<br/>L: 3.56"; W: 1.95"<br/>H: 1.90"</p>   |  <p>RT15<br/>L: 3.01"; W: 2.02"<br/>H: 1.65"</p>   |  <p>RT16<br/>L: 2.55"; W: 1.87"<br/>H: 2.02"</p>   |
|  <p>RT17<br/>L: 3.00"; W: 1.98"<br/>H: 1.78"</p>  |  <p>RT18<br/>L: 3.56"; W: 2.00"<br/>H: 1.73"</p>  |  <p>RT19<br/>L: 4.24"; W: 2.00"<br/>H: 1.95"</p>  |  <p>RT20<br/>L: 4.51"; W: 2.50"<br/>H: 1.47"</p>  |
|  <p>RT21<br/>L: 4.29"; W: 2.65"<br/>H: 1.87"</p> |  <p>RT22<br/>L: 5.41"; W: 1.52"<br/>H: 2.00"</p> |  <p>RT23<br/>L: 6.10"; W: 2.00"<br/>H: 2.09"</p> |  <p>RT24<br/>L: 5.91"; W: 1.11"<br/>H: 1.00"</p> |

All dimensions in inch ("). (L) length, (W) width and (H) height include the base.












**AccuPad Inc., 1324 Harris Bridge Rd., Anderson SC 29621**

Phone: 864 964 0900, Fax: 864 964 0206  
Web: [www.siliconeprintpads.com](http://www.siliconeprintpads.com); Email: [sales@accupad.com](mailto:sales@accupad.com)



## Roof Top Shaped Silicone Print Pads (3 of 3)

All pads are available in multiple colors, bases, mounting threads and durometer, see inquiry form

|   |   |   |  |
|---|---|---|--|
|  <p>RT25<br/>L: 6.95"; W: 1.49"<br/>H: 1.47"</p>   |  <p>RT26<br/>L: 7.36"; W: 1.9"<br/>H: 1.65"</p>    |  <p>RT27<br/>L: 12.50"; W: 2.33"<br/>H: 2.02"</p> |  <p>RT28<br/>L: 7.0"; W: 3.5"<br/>H: 3.35"</p>    |
|  <p>RT29<br/>L: 7.13"; W: 4.76"<br/>H: 3.45"</p>  |  <p>RT30<br/>L: 6.76"; W: 5.28"<br/>H: 3.47"</p>  |  <p>RT31<br/>L: 11.5"; W: 2.55"<br/>H: 1.5"</p>  |  <p>RT32<br/>L: 15.0"; W: 5.68"<br/>H: 3.60"</p> |
|  <p>RT33<br/>L: 23.0"; W: 1.20"<br/>H: 1.60"</p> |  <p>RT34<br/>L: 2.81"; W: 2.47"<br/>H: 2.27"</p> |  <p>RT35<br/>OD: 3.54"<br/>H: 2.83"</p>         |  <p>RT36<br/>OD: 3.2"<br/>H: 2.043"</p>         |

All dimensions in inch ("), (L) length, (W) width and (H) height include the base.












**AccuPad Inc., 1324 Harris Bridge Rd., Anderson SC 29621**

Phone: 864 964 0900, Fax: 864 964 0206  
Web: [www.siliconeprintpads.com](http://www.siliconeprintpads.com); Email: [sales@accupad.com](mailto:sales@accupad.com)



## Silicone Print Blankets

Print blankets are thin print pads on steel backer. All print blankets are available in multiple colors and durometer, as well as different sheet metal materials. Please contact us for your application: inquiry form

|  |  |  |   |
|--|--|--|---|
|  <p><b>B1</b><br/>L: 2.25", W: 0.91"<br/>T: 0.25"</p>   |  <p><b>B2</b><br/>L: 2.5", W: 1.0"<br/>T: 0.25"</p>     |  <p><b>B3</b><br/>L: 2.25", W: 2.10"<br/>T: 0.25"</p>  |  <p><b>B4</b><br/>L: 2.25", W: 0.91"<br/>T: 0.25"</p>  |
|  <p><b>B5</b><br/>L: 2.50", W: 2.10"<br/>T: 0.25"</p>  |  <p><b>B6</b><br/>L: 2.80", W: 2.10"<br/>T: 0.30"</p>  |  <p><b>B7</b><br/>L: 4.36", W: 3.30"<br/>T: 0.25"</p> |  <p><b>B8</b><br/>L: 5.75", W: 0.40"<br/>T: 0.25"</p> |
|  <p><b>B9</b><br/>L: 11.0", W: 2.50"<br/>T: 0.25"</p> |  <p><b>B10</b><br/>L: 10.5", W: 4.0"<br/>T: 0.25"</p> |    |   |

All measurements in inch ("), T thickness or H height include the metal backer.


**AccuPad Inc., 1324 Harris Bridge Rd., Anderson SC 29621**

Phone: 864 964 0900, Fax: 864 964 0206  
Web: [www.siliconeprintpads.com](http://www.siliconeprintpads.com); Email: [sales@accupad.com](mailto:sales@accupad.com)



## Unique Custom Print Pads Examples (1 of 3)

The silicone print pads picture on the following pages are examples of unique custom designed pads. Please inquire about your custom application using our inquiry form



**AccuPad Inc., 1324 Harris Bridge Rd., Anderson SC 29621**

Phone: 864 964 0900, Fax: 864 964 0206  
 Web: [www.siliconeprintpads.com](http://www.siliconeprintpads.com); Email: [sales@accupad.com](mailto:sales@accupad.com)



## Unique Custom Print Pads Examples (2 of 3)

The silicone print pads picture on the following pages are examples of unique custom designed pads. Please inquire about your custom application using our inquiry form




**AccuPad Inc., 1324 Harris Bridge Rd., Anderson SC 29621**

Phone: 864 964 0900, Fax: 864 964 0206  
 Web: [www.siliconeprintpads.com](http://www.siliconeprintpads.com); Email: [sales@accupad.com](mailto:sales@accupad.com)



## Unique Custom Print Pads Examples (3 of 3)

The silicone print pads picture on the following pages are examples of unique custom designed pads. Please inquire about your custom application using our inquiry form







**AccuPad Inc., 1324 Harris Bridge Rd., Anderson SC 29621**

Phone: 864 964 0900, Fax: 864 964 0206  
 Web: [www.siliconeprintpads.com](http://www.siliconeprintpads.com); Email: [sales@accupad.com](mailto:sales@accupad.com)



## Custom Industrial Silicone Components

The silicone component examples on this page complement the print pad experience. We build custom industrial components such as seal rings, single and overmolded, durometer test plates, jigs and work piece holders using our inquiry form

|  |   |   |   |
|--|---|---|---|
|  <p>U37<br/>Biggest Print Pads ever!!</p> |  <p>U38<br/>Silicon wedge</p>          |  <p>U39<br/>Silicone Print Roller</p> |  <p>U40<br/>Work piece holder</p>                            |
|  <p>U41<br/>Custom Seal Ring</p>        |  <p>U42<br/>Custom Seal Ring</p>     |  <p>U43<br/>Custom Seal Ring</p>    |  <p>U44</p>  |
|  <p>U45<br/>Durometer Test Block</p>    |  <p>U46<br/>Durometer Test Block</p> |  <p>U47<br/>Custom Seal Ring</p>    |  <p>U48<br/>Custom Seal Ring molded over machined part</p> |

AccuPad Inc., 1324 Harris Bridge Rd., Anderson SC 29621

Phone: 864 964 0900, Fax: 864 964 0206  
 Web: [www.siliconeprintpads.com](http://www.siliconeprintpads.com); Email: [sales@accupad.com](mailto:sales@accupad.com)

AccuPad Inc.



## Contact and Inquiry Form

Please print and mail/fax to AccuPad Inc., Fax# 864 964 0206

### Print Pad Inquiry Form

(\*) = required fields

Name\*

Email\*

Company\*

Phone

Address

Fax

City, State, ZIP

Product inquiring about? Catalog ID if applicable

- Round Pads     Cone Pad     Square Pad     Rectangular     Roof Top Pad  
 Print Blanket     Print Roller     Unique/Custom Pad     Other Silicone Molded Product

Durometer

- Very Hard (85 - 95)     Medium (60 - 75)     Very Soft (35 - 50)

(All values for 00 scale)  Hard (75 - 85)     soft (50 - 60)

or specify for AA scale

Pad Base Material Please select!

Marine Grade Ply Wood     1/4" thick     3/8" thick     1/2" thick     5/8" thick     3/4" thick

or     Metal / Aluminum     Nylon     Composite    tooled to specification

Please specify     Dimensions and/or other material

Base Mounting Thread Please select!

1/4"     3/8"     6 mm     or specify

Instruction and Comments:

AccuPad Inc., 1324 Harris Bridge Rd., Anderson SC 29621

Phone: 864 964 0900, Fax: 864 964 0206  
Web: [www.siliconeprintpads.com](http://www.siliconeprintpads.com); Email: [sales@accupad.com](mailto:sales@accupad.com)

AccuPad Inc.



Copyright ©2010

**AccuPad Inc.**

**AccuPad Inc., 1324 Harris Bridge Rd., Anderson SC 29621**

Phone: 864 964 0900, Fax: 864 964 0206  
Web: [www.siliconeprintpads.com](http://www.siliconeprintpads.com); Email: [sales@accupad.com](mailto:sales@accupad.com)